

N/AGENITA DIRECT

Old Dublin Road
Enniscorthy
Go.Wexford
Y241 Y0E4
(053) 923 6256

JUNE NEWSLETTER



Fly Control in Dairy Cows: Understanding Your Pour On Options

With summer nearing, fly control is vital in dairy herds. Flies cause stress in cows, lower milk yields and spread diseases like mastitis. Fly Pour's are a popular solution, typically containing either Deltamethrin or Cypermethrin.

Deltamethrin vs. Cypermethrin: What's the Difference?

Both Deltamethrin and Cypermethrin belong to the pyrethroid class of insecticides and are effective against a wide range of flying and biting insects. However, they have some differences that may influence which product you choose:

1. Deltamethrin

Mode of Action: Deltamethrin works by disrupting the nervous system of insects, leading to rapid knockdown and death.

Speed: Known for its fast-acting effect, often killing flies on contact.

Persistence: Offers good residual activity, typically lasting for up to 4–5 weeks depending on environmental conditions.

Use Case: Ideal for high-pressure fly periods, where quick knockdown is critical.

2. Cypermethrin

Mode of Action: Similar in action, it also targets the nervous system, but tends to have slightly slower knockdown than Deltamethrin.

Duration: Often provides a shorter duration of protection (2–3 weeks), meaning it may require more frequent application.

Repellency: Offers excellent repellent properties, helping reduce fly landings and biting.

Use Case: Well-suited for ongoing fly prevention in moderate fly pressure situations.



Cypermethrin



Deltamethrin

Pigtail Posts









- 10 inches of white plastic insulation to give you more room to move them without getting shocked.
- The insulation is also capped at the top to prevent shocks from there too.
- The foot is crimped to the post to ensure there's no slip.

Fencing Essentials







Egg insulators 10pck



Range of polywire available



Elephant p3 battery fencer







High Tensile Wire



Cheetah Super Mains fencer 100 acres

Clipex Posts

USED FOR PERMANENT ELECTRIC FENCING

CLIPEX FEATURES

- Longevity –
 Minimum30 year
 service life
- Clipex Fencing Solution
 50% quicker to erect.
- Surprisingly cost effective – Over 50% cheaper life time costs achieved



€8.75 EACH

Kiln Dried Posts

5' x 4" kiln dried,

€7.75 EACH

- 15 year guarantee
- NSAI grant approved
- Top quality post
- 109 in a bundle
- Excellent Quality





Worm Control in Youngstock: A June Priority

As calves and youngstock spend more time on pasture, the risk of gut worm and lungworm infections rises. These parasites can significantly impact growth rates, immunity, and overall health if left unchecked.

Best Practice Worming Tips

- Start Monitoring Now: Faecal egg counts can help identify if and when treatment is needed. **This service is available at Buyrite Solutions**
- Target the Right Animals: Focus on calves and yearlings, especially those grazing paddocks previously used by older stock.
- Choose the Right Product: Use a wormer that covers both gut worms and lungworm. Your vet or advisor can guide you based on pasture risk and previous farm history.
- Rotate Actives: Avoid resistance by rotating between different active ingredient where possible. i.e moxidectin vs eprinomectin
- Don't Forget Follow-Up: A second dose may be required depending on pasture contamination and product duration.

Preventative Measures

- Avoid overstocking pastures.
- Consider "clean grazing" with silage aftermath.
- Ensure good nutrition to support immunity.

Worm Testing with the

Micron Kit

The Faecal Test (Worms) is a rapid dung sampling service that provides you with informative data on your livestock. It tests for any worms that are present in your animals dung. It not only saves both time and money but it helps your livestock reach their full performance potential.

SAMPLES SENT IN VIA POSTAL SERVICE



Cydectin 10% LA 50ml

Cydectin 10% LA is a single dose long acting injection used for the treatment and control of both internal and external parasites. Cydectin 10% LA specifically targets mature and immature stomach & gut worms, lung worms, warbles, lice and mange mites. A single dose of Cydectin 10% LA's specially designed long acting formula can last an entire grazing season. This leads to both time and money being saved by not having to dose mid season.

Treats and Controls: mature and immature stomach worms, lung worms, warbles, lice and mange mites

Administration Method: Subcutaneous injection (under the skin)

Withdrawal Time: 108 days for animals intended for meat and offal, Not permitted for use on animals producing milk for human consumption.

Dosage: 0.5 ml per 50 kg of bodyweight, do not use in animals less than 100 kg or over 500 kg in weight

Key Features of Cydectin 10% LA

- Long acting wormer injection,
- · convenient,
- · labour efficient,
- one shot wormer for animals over 100kg.
- A single 1ml per 100kg injection gives 120 days persistent protection against both stomach worms and lung worm,
- No need to re-administer the calves every 4 to 6 weeks.



CYDECTIN LA 50ML WAS €160

REDUCED TO €145

Summer Mastitis in Dry Cows and Heifers

Summer mastitis is a serious condition affecting dry cows and heifers, typically between late June and mid-September, when fly populations are at their peak.







Prevention Is Key

You can greatly reduce the risk of summer mastitis by taking a few key preventative measures:

1. Fly Control

Use pour-on or spot-on products to keep flies at bay. Always follow the product instructions for best results.

Some farms use Stockholm tar on the teats, particularly in heifers. While effective, it needs to be applied weekly.

Fly Control



Worm & Fly Control



General Spray

For both creeping and spear thistle

GRAZON PRO ILTR



Spot treatment of weeds in established grass control of broad-leaved dock, curled dock, creeping thistle, spear thistle, common nettle, bramble, broom and gorses



Dock Spray









DB PLUS - LICENSED FOR USE IN RED CLOVER RESEEDS

One of the very few products for weed control in newly seeded grasses and clover leys.

For the control of a wide range of broad-leaved weeds

Rates of Application: 7 litres/hectare



Time of Application

- With red clover, some leaf deformity may be observed but subsequent growth will be normal.
- Direct re-seeds: Apply after the first trifoliate leaf has appeared on most of the clovers, ensuring that the weeds are at the susceptible stage.

LIMITED AMOUNT AVAILABLE

Dairy Equipment & Essentials



Green paper 6pack



Blue paper 6pack



Magnetic teat stops



Anti bacterial soap 5ltr





Parlour Clothing










Revilyt - Special Offer

Dietetic electrolyte product with pectins and antioxidants ReviLyt is a dietetic complementary feed which stabilizes and restores the fluid and electrolyte balance in animals in case of risk of, during periods of, or recovery from digestive disturbance (diarrhoea).





BUY 2 for €79 & GET 1 FREE

Silage Essentials





Silage Bags 50 pack



Rhino Bird NET 15 x 20m

Hoof Care


















Meet Niall

Our Newest Team Member in

Business Development We're pleased to welcome Niall to the Buyrite Solutions team. Niall comes from a strong farming background, having grown up on a dairy farm in County Laois. He holds a degree in Agri-Business and has a genuine passion for all aspects of dairy farming. His first hand experience gives him a deep understanding of the day to day challenges faced by dairy farmers, which makes him a great fit for supporting our customers and their needs. We're delighted to have Niall on

board - welcome to the team!